

001203  
 001144


COMPLIES WITH USDL SAFETY AND HEALTH REGULATIONS (29 CFR 1910.1200)

SECTION 1: MANUFACTURER:	PRODUCT IDENTIFICATION
Amerex Corporation P.O. Box 81 Trussville, AL 35173-0081	ABC Dry Chemical Multi-Purpose Dry Chemical
EMERGENCY: Chemtrec: 1-800-424-9300 Amerex: 1-205-655-3271	

SECTION 2: HAZARDOUS INGREDIENTS

CHEMICAL NAME	CAS #	%	*ACGIH mg/m <sup>3</sup>			*OSHA mg/m <sup>3</sup>		OTHER
			TLV	STEL	PEL	STEL	IDLH	
Mono Ammonium Phosphate and	7722-76-1		NE	NE	NE	NE	NE	NE
Ammonium Sulfate	7783-20-2	95*	NE	NE	NE	NE	NE	NE
Mica	12001-26-2	< 3	3	NE	3	NE	NE	NE
Attaclay	8031-18-3	< 3	NE	NE	NE	NE	NE	NE
Silicone Oil	63148-57-2	< 1	NE	NE	NE	NE	NE	NE
Calcium Carbonate	471-34-1	< 1	NE	NE	NE	NE	NE	NE
Silica (Precipitated)	112926-00-8	< 1	2	NE	6	NE	NE	NE
Yellow Pigment	5468-75-7	< 1	NE	NE	NE	NE	NE	NE

\*ACGIH TLV for particulates not otherwise classified = 10; OSHA PEL for Particulates Not Otherwise Regulated; Total Dust = 15 Respirable Fraction 5  
 \*NE = Not Established



04,05,07,08  
 02/21/2000  
 06  
 10  
 09

---

### SECTION 3: PHYSICAL DATA

BOILING POINT: Not Applicable.  
VAPOR PRESSURE: Not Applicable.  
VAPOR DENSITY: Not Applicable.  
SOLUBILITY IN WATER: Not soluble. Water repellent coated.  
SPECIFIC GRAVITY: Approximately 0.85.  
PERCENT VOLATILE BY VOLUME: Not Applicable.  
EVAPORATION RATE: Not Applicable.  
pH: (10% solution) approximately 4-5.  
APPEARANCE & COLOR: This material is a finely divided yellow powder.

---

### SECTION 4: FIRE AND EXPLOSION DATA

FLASH POINT: Not Applicable.  
FLAMMABLE LIMITS: Not Applicable.  
EXTINGUISHING MEDIA: None. Product is a fire extinguishing agent.  
SPECIAL FIREFIGHTING PROCEDURES: Incipient fire responders should wear protection. Structural fire fighters must wear Self-Contained Breathing Apparatus and full protective equipment.

MATERIAL SAFETY DATA SHEET  
MANUFACTURER: AMEREX CORPORATION  
PRODUCT IDENTIFICATION: ABC DRY CHEMICAL

PAGE 2 OF 2  
DATE: 12-16-97  
Abbrev.


---

### SECTION 5: HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: ACGIH TLV for Particulates, Not Otherwise Classified = 10;  
OSHA PEL: For Particulates Not Otherwise Regulated, Total Dust = 15, Respirable Fraction = 5.  
EFFECTS OF OVEREXPOSURE: This product may cause mild skin irritation, moderate eye irritation and possible gastric distress. This product is not known to cause chronic illness.

#### EMERGENCY FIRST-AID PROCEDURES:

SKIN EXPOSURE: If spilled on skin IMMEDIATELY begin decontamination with running water. Remove exposed or contaminated clothing, taking care not to contaminate eyes. If reddening or irritation occurs, victim and rescuers must seek immediate medical attention.  
EYE EXPOSURE: If chemical is splashed in eyes, open victim's eyes while under gentle running water. Use sufficient force to open eyelids. Have victim "roll" eyes. MINIMUM flushing is for 15 minutes.  
INHALATION: If chemical is inhaled, remove victim to fresh air. If necessary, use artificial



respiration to support vital functions.

---

## SECTION 6: REACTIVITY DATA

**STABILITY DATE:** Stable.

**INCOMPATIBILITY:** Strong alkali, magnesium, swimming pool sanitizers (inorganic perchlorates,

sodium dichloroisocyanurate dihydrate, trichloroisocyanuric acid, calcium hypochlorite, and other strong oxidizers).

**HAZARDOUS DECOMPOSITION PRODUCTS:** Sulfur oxides, carbon monoxide and carbon dioxide.

**HAZARDOUS POLYMERIZATION:** Will not occur.

---

## SECTION 7: SPILL OR LEAK PROCEDURES

**SMALL SPILLS:** Sweep or vacuum. Place in a double plastic bag & seal.

**LARGE SPILLS:** If it is determined that exposure guidelines for nuisance particulates-10 mg/m<sup>3</sup>

(total particulates) or 5 mg/m<sup>3</sup> (respirable particulates) is exceeded use Level C: triple gloves,

chemically resistant suit and boots, hard hat, and air purifying respirator with HEPA filter. Sweep

or vacuum.

**FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.**

---

## SECTION 8: SPECIAL PROTECTION INFORMATION

**RESPIRATORY PROTECTION:** Not expected to be needed. Maintain airborne contaminant concentrations below guidelines for nuisance particulates (see Section 5).

**VENTILATION:** Use with adequate ventilation. Use fan or vent to outside.

**PROTECTIVE GLOVES:** Wear rubber gloves for routine industrial use.

**EYE PROTECTION:** Safety glasses.

**OTHER PROTECTIVE EQUIPMENT:** None except for large spills (see Section 7).

HMIS: 1-0-0

NFPA: 1-0-0

---


## SECTION 9: SPECIAL PRECAUTIONS

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Follow reasonable and safe practices. Avoid getting chemicals ON YOU or IN YOU.

**OTHER PRECAUTIONS:** None.

ANSI Z400.1-1993 FORMAT MSDS AVAILABLE ON REQUEST

<http://www.amerex-fire.com/msds/short/m2abc.html>



02/21/2000